

MÖCKELN



Coccothraustes
Stenknäcken

Eurotrack 5200





The Eurotrack is the latest screening plant to be launched by Mockeln while incorporating many of the advantages of the old S. We have introduced many new features in the Eurotrack. This robust quarry plant with the unique Mockeln ball deck fitted is capable of screening product to an aperture of 3 mm square mesh.



Screening diameter is 5200 x 1500 mm, two decks resting on the Mockeln designed four piece air inflated rubber cushions. The screen box also has the advantage of a hydraulic angel adjustment fitted as standard.



6cu/mt hopper with a variable speed belt feeder, the grid always lies flat for ease of loading. A vibrating pan feeder can also be fitted as an optional extra.



VH8 Mockeln.
capable of



Compact design for road transport with a hydraulic assisted quick set up time.




All controls are incorporated in a water proof control panel.

- Swedish design & quality
- Built to last in Quarry applications
- Mockeln air inflated rubber cushions
- Four bearing screen box
- 380 V and 220 V power supplied by an on board generator



Power is supplied by a diesel generator. The plant can also be ran from the mains power supply.



A	B	C	D	E	F	G	H	J	K
5225	4850	3400	4470	6300	5050	14750	19340	4950	6190
17' 2"	15' 11"	11' 2"	14' 8"	20' 8"	16' 7"	48' 5"	63' 5"	16' 3"	20' 4"

TECHNICAL SPECIFICATION

Beltfeeder

6 cu/mt hopper
1000 mm belt feeder
Step less variable speed on belt feeder
1000 mm feed belt to screen
1000 mm fines belt from screen
650 mm side conveyors
Rubber lagged drive drums

Drive Unit

John Deere type 4045 TF 258 driving a
70 kva generator.

Grid

Hydraulic remote tilting flat coarse grid. The tilt direction can also be easily changed.

Screen

Screening area is 5200 x 1500 mm, two deck, four bearing resting on air inflated rubber cushions, walkway around screen with a access ladder.

Also available in the Mockeln Range:



Conveyors



Feeders



Screens



Harps

Dealer/Distributor

MÖCKELN

Möckeln Svenska AB • Solviksvägen 2 • SE-343 37 Älmhult • Sweden
Tel +46 (0)476-568 00 • Fax +46 (0)476-568 01
E-post: info@mockeln.com • Hemsida: www.mockeln.com

